File No.ICD01-COOR0MISC/101/2022-REFORMS (Comp.№1946949)

GO MS/29/2023/ICD01-Water Resources

Draft:-

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department – Allocation of 1628 KLD or 0.021 TMC of water per Annum from Kanigiri Reservoir to M/s Utkarsha Aluminium Dhatu Nigam Ltd., BV Palem (V), Koduvaluru (M), SPSR Nellore District - Permission accorded - Orders – Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O.Ms.No. 27 **Dated:** 07 **.03.2023**

Read the following:-

1. Govt Memo No 50000/TGP(1)/96-1,Irrigation & CAD(PW) Department, Dt. 16-11-1996.
2. G.O. Ms. No. 202 of Industries & Commerce Department, Dt: 06-12-2014.
3. Govt. Memo. No. 2772/Reforms/A2/2015-1, Water Resources (Reforms) Dept., dated: 30-09-2015.
4. G.O.Ms.No. 43, Water Resources (Reforms) Department, dt. 15-05-2019.
5. G.O. Ms. No.1, Industries & Commerce (P&I) Department, Dt: 12.01.2022.
6. From the ENC (I), WRD, Lr. No. ENC(I)/EE/DEE1/ AEE2/ IWS (Utkarsha Aluminium Dhatu Nigam Ltd.), dt. 15-12-2022.

****

O R D E R:

In the letter 6th read above, the Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada based on the report of the Chief Engineer, NTR TGP, Tirupati, has furnished a detailed proposal and recommended to Government for according permission for allocation of 1628 KLD or 0.021 TMC of water per Annum from Kanigiri Reservoir to M/s Utkarsha Aluminium Dhatu Nigam Ltd., BV Palem (V), Koduvaluru (M), SPSR Nellore District, subject to the following terms and conditions :

1. The drawl of 1628 KLD or 0.021 TMC per Annum is valid only when the industry utilizes the above required quantity of water in any one of the financial year in a continuous span of 4 years or otherwise, the allotment can be reduced to 9.474 MCFT or 0.0095 TMC of water per

(Contd...2

Annum or as per the utilization according to the procedure adopted by the APIIC Ltd.,

2. The water will be spared on the availability of water in the Kanigiri Reservoir.
3. The entire cost of construction of pump house, pipelines excavation etc., should be borne by the user only.
4. Water meters or suitable measuring devices should be installed by the industry at their own cost to measure the water consumed and should be made available to the Departmental Authorities and the representatives of the users shall be present at all time of inspection.
5. The industry should pay the water rate at the existing rates and subject to revision by the Government from time to time. In case of failure to pay water rate/royalty, the permissions to draw water shall stands cancelled.
6. No field bodhi or pipeline shall be taken through or along with Government land without approval of Government and if permission accorded by the Government, the lease should be paid as fixed by the Government only.
7. The industry shall obtain the prior concurrence from concerned Departments for laying pipelines and for crossing etc., wherever necessary.
8. The industry should make their own arrangements for supplementation of water in their premises only.
9. The industry should make their own arrangements to dispose the treated effluents as per norms of A.P. Pollution Control Board in their premises only and should obtain prior permission if any needed from Government to dispose treated effluents in their natural sources. Necessary clearance from the A.P. Pollution Control Board is to be obtained in this regard by the firm before drawl of water from the source.
10. The Water Resources Department reserves the right for cancellation of the permission without assigning any reasons thereof.

(Contd...P.3

11.The Water Resources Department is no way responsible for non-supply of water due to any reasons.

12.The firm must acquire the private land for installation of pumping arrangements.

13.The water drawn from the Kanigiri Reservoir should utilized for the purpose, for which the permission is granted and any misuse in this regard will entail cancellation for the permission without any notice and the firm is liable for imposition of penalty.

14.The industry must strengthen the bund/canal/river margin 100 Mts or as decided by the Water Resources Department, on either side of the proposed off take point to avoid slips, erosion of banks and to protect existing margins as directed by the Department.

15.The Industry should follow the Revenue Board Standing Orders.

16.The Industry shall pay security deposit at 5% on 10 years water charges for which permission is granted.

17.The Industry shall pay one year water charges as advance and any amount due to the Department before entering in to agreement.

18) The industry should pay royalty charges as per the G.O.Ms No. 1, Industries &Commerce (P&I) Department ,dt: 12-01-2022 at the rate of Rs. 120 per KL, as the water is used for consumptive use. The water royalty charges are likely to be revised by the Government from time to time and the industry shall pay the revised rates as fixed by the Government from time to time.

19) The Industry should make its own arrangements for summer storage during the canal closure periods.

20) M/s Utkarsha Aluminium Dhatu Nigam Ltd., has to conclude an agreement with the concerned Superintending Engineer, Irrigation Circle, Nellore.

21) A detailed plan showing the location, the intake arrangements, details of Pump house, conveyance system etc. shall be furnished to Chief Engineer, Central Designs Organisation and his prior concurrence shall be obtained.

(Contd...P.4

22) The Industry shall abide by any other conditions laid down by the Government Department from time to time.

23) The Industry has to pay the water charges for the estimated quantity in advance at the start of the financial year i.e., before 10th April every year as per BSO.

24) The consumptive utilization of 1628 KLD or 0.021 TMC per annum as required should not be exceeded under any circumstances.

25) Any other condition as stipulated by the Water Resources Department/ Government afterwards if found necessary, the same will be binding on the firm.

26) The permission does not confer any Riparian Right to the Industry.

27) In case of the industry is getting closed, then the allocation will be automatically gets cancelled.

28) The firm has to produce the relevant records for Departmental verification at the end of each quarter periodically.

29) The firm has to obtain separate permission duly enclosing the drawings of pipelines & lease amounts to be paid for the Government land to be leased as per the prevailing norms.

30) The concerned Executive Engineer will be responsible for enforcing these conditions.

2. After careful examination of the proposal, Government hereby accord permission to M/s Utkarsha Aluminium Dhatu Nigam Ltd., BV Palem (V), Koduvaluru (M), SPSR Nellore District, for drawl of ~~for~~ allocation of 1628 KLD or 0.021 TMC of water per Annum from Kanigiri Reservoir, **temporarily,** until the APIIC supplies water as per the orders issued in the G.O. 4th read above to the existing and upcoming industries, those who have purchased the land with APIIC Ltd., subject to the terms & conditions as mentioned at above para.

3. The Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada, the Chief Engineer, NTR TGP, Tirupati and the Collector & District Magistrate of SPSR Nellore District shall take necessary action

Contd...5-

accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Shashi Bhushan Kumar I A S
Principal Secretary To Government

To
The Engineer-in-Chief (Irrigation), Water Resources Department, Andhra Pradesh, Vijayawada.
The Chief Engineer, NTR TGP, Tirupati.
The Collector & District Magistrate, SPSR Nellore District.
The Managing Director, A.P. Pollution Control Board, A.P, Vijayawada.
The Managing Director, M/s Utkarsha Aluminium Dhatu Nigam Ltd., BV Palem (V), Koduvaluru (M), SPSR Nellore District.

Copy to:
The VC& MD, APIIC Ltd., Mangalagiri, Guntur Dist.
The P.S. to the Hon'ble Minister for Water Resources Department.
The P.S. to the Prl. Secretary to Govt., Water Resources Department.
The P.S. to the Spl. Chief Secretary to Govt., I&C Department.
SF/SC.

WATER RESOURCES DEPARTMENT Despatch 10/3/23 SECRETARIAT, VELAGAPUDI

//FORWARDED::BY ORDER//

P.C. Ramudu

SECTION OFFICER

Signed by Shashi Bhushan Kumar I A S
Date: 07-03-2023 12:09:10
Reason: Approved

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department – Allocation of 1628 KLD or 0.021 TMC of water per Annum from Kanigiri Reservoir to M/s Utkarsha Aluminium Dhatu Nigam Ltd., BV Palem (V), Koduvaluru (M), SPSR Nellore District - Permission accorded - Orders – Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O.Ms.No.27 **Dated:07.03.2023**

Read the following:-

1. Govt Memo No 50000/TGP(1)/96-1,Irrigation & CAD(PW) Department, Dt. 16-11-1996.
2. G.O. Ms. No. 202 of Industries & Commerce Department, Dt: 06-12-2014.
3. Govt. Memo. No. 2772/Reforms/A2/2015-1, Water Resources (Reforms) Dept., dated: 30-09-2015.
4. G.O.Ms.No. 43, Water Resources (Reforms) Department, dt. 15-05-2019.
5. G.O. Ms. No.1, Industries & Commerce (P&I) Department, Dt: 12.01.2022.
6. From the ENC (I), WRD, Lr. No. ENC(I)/EE/DEE1/ AEE2/ IWS (Utkarsha Aluminium Dhatu Nigam Ltd.), dt. 15-12-2022.

****

O R D E R:

In the letter 6th read above, the Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada based on the report of the Chief Engineer, NTR TGP, Tirupati, has furnished a detailed proposal and recommended to Government for according permission for allocation of 1628 KLD or 0.021 TMC of water per Annum from Kanigiri Reservoir to M/s Utkarsha Aluminium Dhatu Nigam Ltd., BV Palem (V), Koduvaluru (M), SPSR Nellore District, subject to the following terms and conditions :

1) The drawl of 1628 KLD or 0.021 TMC per Annum is valid only when the industry utilizes the above required quantity of water in any one of the financial year in a continuous span of 4 years or otherwise, the allotment can be reduced to 9.474 MCFT or 0.0095 TMC of water per Annum or as per the utilization according to the procedure adopted by the APIIC Ltd.,
2) The water will be spared on the availability of water in the Kanigiri Reservoir.
3) The entire cost of construction of pump house, pipelines excavation etc., should be borne by the user only.
4) Water meters or suitable measuring devices should be installed by the industry at their own cost to measure the water consumed and should be made available to the Departmental Authorities and the representatives of the users shall be present at all time of inspection.
5) The industry should pay the water rate at the existing rates and subject to revision by the Government from time to time. In case of failure to pay water rate/royalty, the permissions to draw water shall stands cancelled.
6) No field bodhi or pipeline shall be taken through or along with Government land without approval of Government and if permission accorded by the Government, the lease should be paid as fixed by the Government only.

7) The industry shall obtain the prior concurrence from concerned Departments for laying pipelines and for crossing etc., wherever necessary.
8) The industry should make their own arrangements for supplementation of water in their premises only.
9) The industry should make their own arrangements to dispose the treated effluents as per norms of A.P. Pollution Control Board in their premises only and should obtain prior permission if any needed from Government to dispose treated effluents in their natural sources. Necessary clearance from the A.P. Pollution Control Board is to be obtained in this regard by the firm before drawl of water from the source.
10) The Water Resources Department reserves the right for cancellation of the permission without assigning any reasons thereof.
11) The Water Resources Department is no way responsible for non-supply of water due to any reasons.
12) The firm must acquire the private land for installation of pumping arrangements.
13) The water drawn from the Kanigiri Reservoir should utilized for the purpose, for which the permission is granted and any misuse in this regard will entail cancellation for the permission without any notice and the firm is liable for imposition of penalty.
14) The industry must strengthen the bund/canal/river margin 100 Mts or as decided by the Water Resources Department, on either side of the proposed off take point to avoid slips, erosion of banks and to protect existing margins as directed by the Department.
15) The Industry should follow the Revenue Board Standing Orders.
16) The Industry shall pay security deposit at 5% on 10 years water charges for which permission is granted.
17) The Industry shall pay one year water charges as advance and any amount due to the Department before entering into agreement.
18) The industry should pay royalty charges as per the G.O.Ms No. 1, Industries &Commerce (P&I) Department, dt: 12-01-2022 at the rate of Rs. 120 per KL, as the water is used for consumptive use. The water royalty charges are likely to be revised by the Government from time to time and the industry shall pay the revised rates as fixed by the Government from time to time.
19) The Industry should make its own arrangements for summer storage during the canal closure periods.
20) M/s Utkarsha Aluminium Dhatu Nigam Ltd., has to conclude an agreement with the concerned Superintending Engineer, Irrigation Circle, Nellore.
21) A detailed plan showing the location, the intake arrangements, details of Pump house, conveyance system etc. shall be furnished to Chief Engineer, Central Designs Organisation and his prior concurrence shall be obtained.
22) The Industry shall abide by any other conditions laid down by the Government Department from time to time.
23) The Industry has to pay the water charges for the estimated quantity in advance at the start of the financial year i.e., before 10th April every year as per BSO.
24) The consumptive utilization of 1628 KLD or 0.021 TMC per annum as required should not be exceeded under any circumstances.
25) Any other condition as stipulated by the Water Resources Department/ Government afterwards if found necessary, the same will be binding on the firm.
26) The permission does not confer any Riparian Right to the Industry.
27) In case of the industry is getting closed, then the allocation will be automatically gets cancelled.
28) The firm has to produce the relevant records for Departmental verification at the end of each quarter periodically.

29) The firm has to obtain separate permission duly enclosing the drawings of pipelines & lease amounts to be paid for the Government land to be leased as per the prevailing norms.
30) The concerned Executive Engineer will be responsible for enforcing these conditions.

2. After careful examination of the proposal, Government hereby accord permission to M/s Utkarsha Aluminium Dhatu Nigam Ltd., BV Palem (V), Koduvaluru (M), SPSR Nellore District, for drawl of allocation of 1628 KLD or 0.021 TMC of water per Annum from Kanigiri Reservoir **considering temporarily,** until the APIIC supplies water as per the orders issued in the G.O. 4th read above to the existing and upcoming industries, those who have purchased the land with APIIC Ltd., subject to the terms & conditions as mentioned at above para.

3. The Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada, the Chief Engineer, NTR TGP, Tirupati and the Collector & District Magistrate of SPSR Nellore District shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (Irrigation), Water Resources Department,
Andhra Pradesh, Vijayawada.
The Chief Engineer, NTR TGP, Tirupati.
The Collector & District Magistrate, SPSR Nellore District.
The Managing Director, A.P. Pollution Control Board, A.P, Vijayawada.
The Managing Director, M/s Utkarsha Aluminium Dhatu Nigam Ltd.,
BV Palem (V), Koduvaluru (M), SPSR Nellore District.

Copy to:
The VC& MD, APIIC Ltd., Mangalagiri, Guntur Dist.
The P.S. to the Hon'ble Minister for Water Resources Department.
The P.S. to the Prl. Secretary to Govt., Water Resources Department.
The P.S. to the Spl. Chief Secretary to Govt., I&C Department.
SF/SC.

//FORWARDED::BY ORDER//

P. R. Bhanumatan
SECTION OFFICER